Date	on Control Officer	Z. Z. Classification & Information	2	
EHBOI	(II) HI	My runn /	DIVISION OF CARE	ON CORPORATION
.1051-15875 NT,	O Box 2003, Oak Ridge	Mariena Energy Systems and P		
III OHICE MUTTER	iod monemional dae a	ioiteoifieselD eti2 20-X enbic	L (
		1961) In our restricted release	T OFFICE BOX P. OAK	RIDGE, IENNESSEE
FORFER GUARTER	KENTAL LEVELS O		I .	
3/62	ed ; Date	уосливи: # Пппишрет	March 29, 196	52
<u> </u>	LEOR RELEAS	APPROVA	±1	
				# 1 - OFF #1070 F
	II. S. Atomic	Energy Commission		
	Post Office B			
*** * **	Oak Ridge, Te			
	2			
	Attention: M	r. S. R. Sapirie		
	a £2	. ,		• •
	Gentlemen:	-		
	0		E PUBLIC OF DATA ON S OF RADIOACTIVITY	
	As requested; fourth quarte the Oak Ridge	r, 1961, on Environ	eighty copies of the mental Levels of Rad	report for the "" lioactivity for
	fourth quarte	r, 1961, on Environ	mental Levels of Rad	lioactivity for
	fourth quarte the Oak Ridge	r, 1961, on Environ	eighty copies of the mental Levels of Rad	lioactivity for
	fourth quarte the Oak Ridge	r, 1961, on Environ	mental Levels of Rad	lioactivity for
	fourth quarte the Oak Ridge	r, 1961, on Environ	mental Levels of Rad	ruly,
	fourth quarte the Oak Ridge	r, 1961, on Environ	mental Levels of Rad	ruly,
	fourth quarte the Oak Ridge	r, 1961, on Environ	Yours very t	cruly,
	fourth quarte the Oak Ridge	r, 1961, on Environ	mental Levels of Rad	cruly,
	fourth quarte the Oak Ridge	r, 1961, on Environ	Yours very t	cruly,
	fourth quarte the Oak Ridge	r, 1961, on Environ	Yours very t	cruly,
	fourth quarte the Oak Ridge	r, 1961, on Environ	Yours very t	cruly,
	fourth quarte the Oak Ridge CEL:KZM:dw Enclosures	Area.	Yours very t	cruly,
	fourth quarte the Oak Ridge	Area.	Yours very t	cruly,
	fourth quarte the Oak Ridge CEL:KZM:dw Enclosures	F. R. Bruce F. L. Culler J. C. Hart (10)	Yours very t	cruly,
	fourth quarte the Oak Ridge CEL:KZM:dw Enclosures	F. R. Bruce F. L. Culler J. C. Hart (10) W. H. Jordan	Yours very t	cruly,
	fourth quarte the Oak Ridge CEL:KZM:dw Enclosures	F. R. Bruce F. L. Culler J. C. Hart (10) W. H. Jordan K. Z. Morgan	Yours very to Vours Very Very Very to Vours Very Very Very Very Very Very Very Very	cruly,
	fourth quarte the Oak Ridge CEL:KZM:dw Enclosures	F. R. Bruce F. L. Culler J. C. Hart (10) W. H. Jordan K. Z. Morgan ORGDP, Safety and	Yours very to Vours Very Very Very to Vours Very Very Very Very Very Very Very Very	cruly,
	fourth quarte the Oak Ridge CEL:KZM:dw Enclosures	F. R. Bruce F. L. Culler J. C. Hart (10) W. H. Jordan K. Z. Morgan ORGDP, Safety and Department (2)	Yours very to Vours very very to Vours very very to Vours very very very very very to Vours very very very very very very very very	cruly,
	fourth quarte the Oak Ridge CEL:KZM:dw Enclosures	F. R. Bruce F. L. Culler J. C. Hart (10) W. H. Jordan K. Z. Morgan ORGDP, Safety and	Yours very to Vours very very to Vours very very to Vours very very very very very to Vours very very very very very very very very	cruly,

ENVIRONMENTAL LEVELS OF RADIOACTIVITY FOR THE OAK RIDGE AREA

(Report for Fourth Quarter 1961)

Compiled by the

Applied Health Physics Section

Health Physics Division

OAK RIDGE NATIONAL LABORATORY

Introduction

Radioactive waste materials arising from the operation of atomic energy installations at Oak Ridge are collected, treated, and disposed of according to their physical states.

Solid wastes are buried in a Conasauga shale formation. This shale has a marked ability to fix radioactive materials by an ion exchange mechanism.

Liquid wastes which contain long-lived fission products are confined in storage tanks or are released to trenches and pits located in the Conasauga shale formation. Low level liquid wastes are discharged, after preliminary treatment, to the surface streams.

Air that may become contaminated by radioactive materials is exhausted to the atmosphere from several tall stacks after treatment by means of filters, scrubbers, and/or precipitators.

This report presents data on the environmental levels of radioactivity for the Oak Ridge Area and compares the data with established maximum permissible concentrations.


Air Monitoring

Atmospheric contamination by long-lived fission products and fall-out occurring in the general environment of East Tennessee are monitored by two systems of monitoring stations. One system consists of seven stations which encircle the plant areas (Fig. 1) and provides data for evaluating the impact of all-Oak Ridge Operations on the immediate environment. A second system consists of eight stations encircling the Oak Ridge Area at distances of from 12 to 120 miles (Fig. 2). This system provides data to aid in evaluating local conditions and to assist in determining the spread or dispersal of contamination should a major incident occur. Sampling is carried out by passing air continuously through a filter paper. Data collected are accumulated and tabulated in average pc/cc of air sampled.

Atmospheric contamination by alpha-emitting materials, interpreted as uranium, is determined by taking continuous air samples at five locations on a five-mile radius from the Oak Ridge Gaseous Diffusion Plant (Fig. 3).


Water Monitoring

Large volume, low level liquid wastes originating at Oak Ridge National Laboratory are discharged, after some preliminary treatment, into the Tennessee River system by way of White Oak Creek and the Clinch River. Liquid wastes originating at the Oak Ridge Gaseous Diffusion Plant and the Y-12 Plant are discharged to Poplar Creek and thence to the Clinch River. Releases are



STATION SITES FOR REMOTE AIR MONITORING SYSTEM Figure 2

3



SAMPLING POINTS OF OUTSIDE ENVIRONS -- ORGDP

Sampling Location - Five Miles from Plant

-Figure 3

controlled so that resulting average concentrations in the Clinch River comply with the maximum permissible levels for populations in the neighborhood of a controlled area as recommended by the National Committee on Radiation Protection (NCRP). The concentration of radioactivity leaving White Oak Creek is measured and concentration values for the Clinch River are calculated on the basis of the dilution provided by the river.

Radioactive liquid wastes are sampled at a number of locations as shown in Figs. 4 and 5. Samples are taken at a number of locations in the Clinch River, beginning at a point above the entry of wastes into the river and ending at Center's Ferry near Kingston, Tennessee. Stream gauging operations are carried on continuously by the United States Geological Survey to obtain dilution factors for calculating the probable concentrations of wastes in the river.

Samples are analyzed for the long-lived beta emitters, for uranium, and for the transuranic alpha emitters.

Analyses are made of the effluent for the long-lived radionuclides only since cooling time and hold-up time in the waste effluent system is such that short-lived radionuclides are not present. The fraction of the activity comprised by each isotope is determined from the analyses. A weighted average maximum permissible concentration for water, (MPC)_w, for the mixture of radionuclides is calculated on the basis of the isotopic distribution using the MPC values of each isotope as recommended by the NCRP. The average concentrations of gross beta activity in the Clinch River are compared to the calculated (MPC)_w values.

The concentration of uranium is compared with the specific (MPC)w value

Gamma Measurements

External gamma radiation levels are measured monthly at a number of locations in the Oak Ridge Area. Measurements are taken with a Geiger-Muller tube at a distance of three feet aboveground, and the results are tabulated in terms of mr/hr.

Discussion of Data

Data on the environmental levels of radioactivity for the fourth quarter of 1961 in the Oak Ridge and surrounding areas are presented in Table I through Table VI.

The average air contamination levels for gross beta activity, as shown by the continuous air monitoring filter data for the immediate and remote environs of the plants, were 3.5% and 4.1%, respectively, of the maximum permissible concentration for populations in the neighborhood of a controlled area. These values are approximately 70% higher than those of last quarter

Location Sketch Map ... ORNL Area Surface Drainage

Figure 4

._ UNCLASSIFIED
ORNL-LR-DWG. 4922281




Figure 5

.. 7

but are no greater than the average of those measured in other areas of the United States and reported by the U. S. Public Health Service Radiation Surveillance Network for the first two months of this quarter.

The average air-borne alpha activity in the environs of the ORGDP, five miles from ORGDP, was 12% of the maximum permissible concentration for populations in the neighborhood of a controlled area.

The average concentrations of radioactivity in the Clinch River at Mile 20.8, the point of entry of most of the wastes, and at Mile 4.5, near Kingston, Tennessee, were 5.2 x 10-7 μ c/cc and 2.4 x 10-7 μ c/cc respectively. These values are 8.8% and 5.5% of the weighted average maximum permissible concentration as recommended by the National Committee on Radiation Protection. The average concentration of transuranic alpha emitters in the Clinch River at Mile 20.8 was 0.7 x 10-11 μ c/cc which is 0.0001% of the weighted average (MPC) $_{\rm W}$ value.

The average activity of natural uranium materials in the Clinch River, reflecting the effects of all Oak Ridge Plants, was only 0.01% of the (MPC)w for uranium.

External gamma radiation in the Oak Ridge Area averaged 0.02 mr/hr. This level is not significantly different from the average of the levels measured throughout the United States by the U. S. Public Health Service Surveillance Network.

Conclusion

- The air and ground contamination in both the immediate and remote environs of Oak Ridge was influenced by fall-out from sources other than - local plant operations. From analysis of the data taken, it is concluded that the Oak Ridge Operations contributed little to the air or ground - eontamination found in the neighborhood of the area controlled by the Atomic Energy Commission.

While some radioactivity is being contributed to the Clinch River by the release of low level radioactive liquid wastes from local operations, the resulting concentrations in the river are well below the maximum permissible concentration recommended by the NCRP for populations in the neighborhood of an atomic energy installation.

TABLE III

CALCULATED AVERAGE CONCENTRATION OF RADIOACTIVITY IN THE CLINCH RIVER AT MILE 20.8

Fourth Quarter, 1961

Number of		its of 10 ⁻⁷ μc/	cc	
Samples Taken	Maximum	Minimum	Average	% of (MPC)w
91	27.0	0.27		8.8

,		% of (MPC)w	0.82	8.8	5.5	ıclides
	_	(MPC) _W	128	590	h27	ific radion
ATION OF MAJOR RADIOACTIVE CONSTITUENTS IN THE CLINCH RIVER	9 πc/cc	Average Gross Beta Activity	0,28		542	mixture using (MPC), values for specific radionuclides
BLE IV MAJOR RADIOACTI CLINCH RIVER Quarter, 1961	Units of 10-8 µc/cc	09 00	0.06	;0°30	0,36	sing (MPC
TABLE IV TON OF MAJOR RA IN THE CLINCH F	Inu iii	Ru 103-106	6.0	7.	ت. تا	
CONCENTR		, 7£1, ;	900	0,25	60.0	Weighted average (MPC) _w calculated for recommended in the NBS Handbook 69.
AVERAGE	-	Ce ^{14t}	†0°0	0.10	0.18	Weighted average (MPC) _w calculated recommended in the NBS Handbook 69.
		Sr.90	80°0	0.28	0.33	average (
		Location	M1. 33.2		M1, 4,5	a Weighted recommen

based on levels of waste released and the

Values given for this location

- 12 -

	(MPC) _W	0.01	
	86	V	
·	(MPC) _W	2000	 · · ·
	10 ⁻⁸ µc/cc Average	0,11	· · · · · · · · · · · · · · · · ·
CITINGE	Units of 1	- o — · o	
TABLE V NTRATION IN THE RIVER Quarter, 1961	Meximum	0.70	over one
URANIUM CONCENTRATION RIVER FOURTH QUERTER,	No. of Samples	E G	s, composited
	f es Made	tration tration	Con
	Type of Analyses	Uranium Concentrat Uranium Concentrat	requency:
	Sempling Point	Upstream from ORGDP Downstream from ORGDP	Normal Sampling Frequency:

TABLE VI

EXTERNAL GAMMA RADIATION LEVELS

mr/hr

Fourth Quarter, 1961

•	Station Number	Location	October	November	December	Average	
	1	Solway Gate	0.015	0.026	0.021	0.021	-
,	2 .	Y-12 East Portal	0.015	0.021	0.020_	0.019.	
	3	Newcomb Road, Oak Ridge	0.016	0.022	0.021	- 0:020 -	
	7.74.	Gallaher Gate	-0.0 <u>19</u>	0:025	-0.025	- 0.023	
,	5	White Wing Gate	0.017. =	0.021	0.018	0.019 -	••• N
	Average		0.016	0.023	0.021	0.020	

ChemRisk Document Request Transmittal Form (This section to be completed by ChemRisk)

S. Sandberg	1	
Name	Division	is requested to provide the following document
Address		
Date of Request 12 10	Expected rece	eipt of document 12/2/
Title of requested document_	Environmenta	I Levelo of Radicactivity 1961
Document Number 8009	103	
Access Number of Documen	ıt	Date of Document 3/29/62
(This section to be complet	ed by Derivative Class	sifier)
Derivative Classifier	G. Jordan	Phone 4 1645
Date document transmitted to		
Date release received from I		
PUBLIC RELEASE STAM		
Date document sent to repro		
Delivered to DRC by		Date
(This section to be complet	ed by DRC)	
Received by DRC	Date	
Processed		
Mailed		

OAK RIDGE K-25 SITE DOCUMENT RE' 4-0745 Maijing Address K-1200 MS-7262 "Standard processing time is 5 working days. Date by which release is required and time will be londer). Some documents require special review . , and Information Control Office with this request. Only The: Two copies of the document must generally be provided to the Classific one copy of photos and videotabes is required. Documents that include photos must be accompanied by "originals" of the photos. Approval of request for Classification and Information Control Office to release document (department head or higher): DOCUMENT DESCRIPTION (to be completed by requester) Occument number UNNUMBERED/800903 DISSEMINATION TO THE PUBLIC OF DATA ON ENVIRONMENTAL LEVELS OF Document title RADIOACTIVITY CE LARSON Author(s) (indicate other divisions or organizations, if applicable) Document type (See Doc. Prep. Guide, Chs. 1 and 2, for definitions of document types): Drawing ☐ Informai R&D Report ☐ Abstract Formal Report ☐ Progress Report Cther Visuals ☐ Internal Technical Data ☐ Photo ☑ Correspondence Administrative ☐ Journal Article (identify journal): Oral Presentation (identify meeting, sponsor, location, date): □ No ☐ Not Known ☐ Yes Will oral presentation be published in program, booklet, brochure, etc.? Will copies of the oral presentation be distributed 🔲 before, 🖂 after. 🗀 during the meeting? 🛄 No distribution will be made. Other (specify): Purpose of release
HEALTH STUDY FEASIBILITY PROJECT Previously cleared documents containing similar information I No is copyrighted material contained in this document? (If present, attach release.) Remarks CLASSIFICATION INFORMATION (to be obtained by requester) Was the work reported in this document funded, in whole or in part, by a classified program at Martin Marietta Energy Systems, Inc.? ☐ No ☐ Yes (Name of program: Is the subject area of this document closely related to a prior or current classified program at Martin Marietta Energy Systems, Inc.? Within the Department of Energy? No Yes ☐ No ☐ Yes Name or Description of applicable program(s) Additional remarks This document contains no classified information. Date 1/14/93 Nomina Classifiar signatura TT CT

DISTRIBUTION LII	MITATIONS (If at	nv) (completed by requester)	
Unrestricted, unlimited Distribution may be limited because this document con	tains information	that is:	12
Distribution may be illiated because information 5	☐ Applied Ted		☐ Exporte
Unclassified Controlled Nuclear Information *		dential Commercial Information *	Export Controlled *
Naval Nuclear Propulsion Information *	-	ness Innovation Research *	Official Use Only
Sensitive Nuclear Technology *		e R&D Agreement *	Other
☐ Safeguards Information *		erally identified by sponsor	- Other
	- Gene	itally identified by sponsor	·. 1 ·
Remarks:			
PATENT IN	FORMATION (co	empleted by requester)	
Does this document disclose any new equipment, pro	cess, or material?	Yes No	
If yes, list the patent significance and identify page nu	mber(s) and line	number(s) in the space immediately	following
(or attach separate pages).			
	- CNo- mos	request by the Classification and	Information Control Office)
PATENT SECTION ACTION (completed by Pate	nt Section upon	request by the Classification and	· ·
Document may be released for publication		ocument must be reviewed by DOE	Patent Group before release
	entable information	on and may not be released at this ti	ime
Remarks			
Patent Section Representative		Date	
		•	
CLASSIFICATION AND INFORMATION CONTROL	OFFICE ACTIO	N (completed by Classification an	d Information Control Office)
,			
Classification Office Not approved for releas	e (see below)	Approved for release with	ih changes (see below)
Action Taken: Approved for release wi	thout change		•
			
		Date	
Classification Officer signature			
			N. I
Technical Information Not approved for released Not approved Not approved		☐ Approved for release w	vith changes (see below)
Approved for release v	vithout change	_	
to Mennyuse.			
	// 2	• 1 1	
Technical Information Officer Signature	an XII	Date	1/39/93
	1 1 L C		
Send to OSTI? Yes No		Category Distribution:	

DOCUMENT NUMBER: UNNUMBERED/800903

DOCUMENT TITLE: ENVIRONMENTAL LEVELS OF RADIOACTIVITY FOR THE OAK RIDGE AREA (REPORT FOR FOURTH QUARTER 1961)

AUTHORS: APPLIED HEALTH PHYSICS SECTION (ORNL)

DOCUMENT TYPE: REPORT

DOCUMENT DATE: 00-00-61

PURPOSE OF RELEASE: HEALTH STUDY FEASIBILITY REPORT

COPY RIGHTED MATERIAL: NO